



## Tunnel TM2110

---



<b>TYPE</b>	Rack conveyor dishwashers
<b>LINE</b>	TUNNEL LINE
<b>BASKET</b>	500x500
<b>SIZE</b>	1700x770x1810h mm

---



The TUNNEL Line has been designed to meet the needs of every customer, thanks to the various accessories installable, combining large workloads and optimising spaces available, simplifying operator work and reducing consumption. The models of this line are equipped with a double filtration system that retains all residues, whereas the vertical wash pumps and stainless steel wash arms ensure great performance. TUNNEL is also equipped with counterbalanced doors with double wall and anti-fall system and rounded moulded tanks.





400V3N+T 24,80kW  
(CABLE NOT PROVIDED)



G 3/4" M  
B: 55°C  
B1: 10°C  
L=1500



Ø1"1/2 M  
L=1500

**STANDARD EQUIPMENT**

Basket for glasses dim.500x500x100mm	1
Basket for 18 dishes dim.500x500x100mm	2

**DISHWASHERS FEATURES TUNNEL LINE TM2110**

Dimensions - (mm) L - P - H	1700x770x1810h mm
Basket dimensions	500x500 mm
n° baskets/hour	200/150/95
Passage height max (cm)	450 mm
Total power input	25,1 kW (15°C)
Standard input voltage	400V3N - 50 Hz

**WASHING**

Tank capacity (lt)	70 lt
Washing pump	1,5 kW - 2 hp
Tank heating element (kW)	10,5 kW

**FINAL RINSING**

Break-Tank and rinse pump	0,2 kW
Boiler heating element (kW)	12 kW
Water consumption	160 l/h
Inlet water temperature (°C)	+15°C
Minimum water pressure (BAR)	2 bar
Water hardness (°f)	7°f - 10°f

**RECUPERATORE\_TERMICO\_CALORE**

Exhauster	0,2 kW
Air capacity	70 m3/h

**STANDARD EQUIPMENT**

Basket for glasses dim.500x500x100mm	1
Basket for 18 dishes dim.500x500x100mm	2
4 division cutlery insert	1
Basket for glasses dim.500x500x100mm	1
Basket for 18 dishes dim.500x500x100mm	2

**OPTIONAL**

Corner dryer unit	●
Option extra power 9,5 Kw	●
Internal detergent & rinse-aid dosing unit	●
Triple tank filter and stainless steel drawer	●



● = OPTIONAL INSTALLABILE, ■ = OPTIONAL NON INSTALLABILE

---

